

# Spray rings SKU: BSR9012

Un rocío con variedad de efectos dependiendo de la dirección de la boquilla, la cantidad y la altura del rociado.



| Modelo | Diametro A en cm | Tipo de boquilla | Orificio de salida (mm) | Cantidad de boquilla | Altura en m               | 0.5                | 1                   | 1.5                 | 2                   | 2.5                 | 3                   | 4                   |
|--------|------------------|------------------|-------------------------|----------------------|---------------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 9012   | 30               | 1010             | 4.75                    | 12                   | <b>LPM</b><br>Head in Mtr | <b>68</b><br>1.82  | <b>95</b><br>3.04   | <b>104</b><br>3.65  | <b>117</b><br>4.87  | <b>140</b><br>5.60  | <b>180</b><br>5.90  | <b>225</b><br>6.00  |
| 9018   | 45               | 1010             | 4.75                    | 18                   | <b>LPM</b><br>Head in Mtr | <b>102</b><br>1.82 | <b>143</b><br>3.04  | <b>156</b><br>3.65  | <b>176</b><br>4.87  | <b>210</b><br>5.60  | <b>270</b><br>5.90  | <b>330</b><br>6.00  |
| 9024   | 60               | 1010             | 4.75                    | 24                   | <b>LPM</b><br>Head in Mtr | <b>136</b><br>1.82 | <b>190</b><br>3.04  | <b>208</b><br>3.65  | <b>235</b><br>4.87  | <b>280</b><br>5.60  | <b>360</b><br>5.90  | <b>440</b><br>6.00  |
| 9030   | 75               | 1010             | 4.75                    | 22                   | <b>LPM</b><br>Head in Mtr | <b>136</b><br>1.82 | <b>190</b><br>3.04  | <b>208</b><br>3.65  | <b>235</b><br>4.87  | <b>280</b><br>5.60  | <b>360</b><br>5.90  | <b>440</b><br>6.00  |
| 9036   | 90               | 1010             | 4.75                    | 27                   | <b>LPM</b><br>Head in Mtr | <b>153</b><br>1.82 | <b>214</b><br>3.04  | <b>234</b><br>3.65  | <b>265</b><br>4.87  | <b>316</b><br>5.60  | <b>405</b><br>5.90  | <b>495</b><br>6.00  |
| 9048   | 120              | 1010             | 4.75                    | 36                   | <b>LPM</b><br>Head in Mtr | <b>204</b><br>1.82 | <b>286</b><br>3.04  | <b>313</b><br>3.65  | <b>353</b><br>4.87  | <b>421</b><br>5.60  | <b>540</b><br>5.90  | <b>600</b><br>6.00  |
| 9060   | 150              | 1011             | 6.35                    | 45                   | <b>LPM</b><br>Head in Mtr | <b>476</b><br>1.82 | <b>578</b><br>3.04  | <b>680</b><br>3.65  | <b>850</b><br>4.87  | <b>1020</b><br>5.60 | <b>1035</b><br>5.90 | <b>1095</b><br>6.00 |
| 9072   | 180              | 1011             | 6.35                    | 54                   | <b>LPM</b><br>Head in Mtr | <b>571</b><br>1.82 | <b>693</b><br>3.04  | <b>816</b><br>3.65  | <b>1020</b><br>4.87 | <b>1224</b><br>5.60 | <b>1428</b><br>5.90 | <b>1700</b><br>6.00 |
| 9096   | 240              | 1011             | 6.35                    | 72                   | <b>LPM</b><br>Head in Mtr | <b>761</b><br>1.82 | <b>925</b><br>3.04  | <b>1088</b><br>3.65 | <b>1360</b><br>4.87 | <b>1632</b><br>5.60 | <b>1728</b><br>5.90 | <b>1850</b><br>6.00 |
| 9120   | 300              | 1011             | 6.35                    | 92                   | <b>LPM</b><br>Head in Mtr | <b>952</b><br>1.82 | <b>1156</b><br>3.04 | <b>1360</b><br>3.65 | <b>1701</b><br>4.87 | <b>2041</b><br>5.60 | <b>2160</b><br>5.90 | <b>2350</b><br>6.00 |